


# CAROUSEL, BARRIER-FREE

Order-No.: 0008612



anfragen@spielbau.de  
+49 (0)3381 2614-0  
www.spielbau.de  
Editor: Do.La.


Powder coating available on additional charge. Subject to technical changes.

All designs are the property of spielbau GmbH and may not be made available to third parties for the execution of the depicted object without written permission.

# CAROUSEL, BARRIER-FREE

Order-No.: 0008612

Maximum free fall height to EN 1176: **100cm**  
Essential protective area: 26 m<sup>2</sup>  
Recommended ground surface:  
minimum sub-soil, better: grass



Dimensions in cm | Scale 1:100 (A4)

anfragen@spielbau.de  
+49 (0)3381 2614-0  
www.spielbau.de

Editor: Do.La.

Powder coating available on additional charge. Subject to technical changes.

All designs are the property of spielbau GmbH and may not be made available to third parties for the execution of the depicted object without written permission.




# CAROUSEL, BARRIER-FREE

Order-No.: 0008612

## COLOR SELECTION



### HPL Colors



\* Actual colors may vary - data is similar to RAL numbers. Special colors available on request.

### Powder Coatings



When selecting color gradients, the corresponding shades are numbered from top to bottom. Powder coatings are offered in corrosivity category C3 as standard. For playground equipment in areas prone to corrosion, such as near the sea, in swimming pools, near industrial plants, cultivated agricultural land, or salt deposits, we recommend the more resistant class C5.



anfragen@spielbau.de  
+49 (0)3381 2614-0  
www.spielbau.de  
Editor: Do.La.

Powder coating available on additional charge. Subject to technical changes.

All designs are the property of spielbau GmbH and may not be made available to third parties for the execution of the depicted object without written permission.