

## ROXX 3506




4 - 14 years



35 kids



80,1 m²



### Material specification

- Hot-dip galvanized steel construction,
- Side panels made of durable HPL plate, resistant to weather conditions,
- Climbing stones made of durable HPL plate, resistant to weather conditions,
- Stainless steel screws and/or screws covered with plastic caps,



**Physical development**



climbing





## Surfaces according to EN 1176-1:2017+A1:2023

|                                 | Description (mm)             | Layer thickness (cm) | Maximum fall heights (cm) |
|---------------------------------|------------------------------|----------------------|---------------------------|
| Turf/ top layer of soil (A,B,C) | -                            | -                    | ≤100                      |
| bark (A,C)                      | Particle size from 20 to 80  | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| woodchips (A,C)                 | Particle size from 5 to 30   | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| sand or gravel (A,C)            | Particle size from 0,25 to 8 | 30                   | ≤200                      |
|                                 |                              | 40                   | ≤300                      |
| synthetic attested (A,B,C)      | Tested according to EN 1177  |                      | 290                       |

## Product technical sheet

# ROXX 3506

### Amount of safe surface corresponding with free fall height:

HIC 185 5,9 m<sup>2</sup>

HIC 290 74,2 m<sup>2</sup>

Data is subject to change without prior notice.

